





# THE DIFFERENCE IS CLEAR

OUR ENGINEERS WORK HARD TO ADAPT TO THE EVER-CHANGING STYLES OF OEM CHASSIS MANUFACTURERS. SO YOU'RE NOT JUST GETTING DURABILITY, BUT ALSO OPTIMUM USABILITY. QUITE SIMPLY, WE'RE COMMITTED TO PROVIDING A LEVEL OF QUALITY YOU CAN FEEL GREAT ABOUT, AT A VALUE THAT'S UNSURPASSED.

# RATED B&W HITCHES

While some manufacturers install hitches that are untested. CM Truck Beds come standard with B&W hitches that are proven to withstand the heavy loads our beds tow. Each attachment point comes with quality electrical connections, ensuring that you tow with safety first.



#### EXTRUDED ALUMINUM FLOORS (ALUMINUM MODELS)

How's this for tough: Our extruded aluminum floors have a weight rating of 800 pounds per square foot. Some say aluminum is weaker; we say they're just doing it wrong. (Not standard on AL ER Models.)



When safety counts, count on CM Truck Beds. We utilize the safest, easiest-to-maintain lights on the market. LED lights are brighter, light up instantaneously, make for easier maintenance, and come with a standard lifetime warranty.



#### **SINGLE-PIECE SQUARE TUBE** HEADACHE RACKS

Clearly the toughest, heaviest square tube headache racks in the business. You won't see breaks, cuts or pieced-together parts in our racks; built from a single piece, they're indestructible. When the unexpected occurs, count on our headache racks to keep you safe.



#### TEXARMOR POWDERCOAT FINISH (STEEL MODELS)

While other companies stick to paint, CM coats every steel product with a super-durable powdercoat primer followed by a high-gloss TexArmor powdercoat finish. We go under every edge and cover every crevice to ensure your truck bed is protected. This superior finish adds a shine that will last for many years.




# **3-PIECE PLUG & PLAY MODULAR** SEALED WIRING HARNESS

We understand that our beds are exposed to harsh conditions that oftentimes cause wiring to corrode, pull apart or deteriorate. CM Truck Beds wiring harnesses are designed for durability in even the most challenging conditions.









NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Cargo Light; Drop-In or Fold-Down Side Rails; Gooseneck Trough; Rolling Tailboard Wood; Rumber or Blackwood Flooring; Underbody Toolbox



	1	STEEL	ALUMINUM	
	LENGTHS	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	Г
	HEADACHE RACK	Steel Tube	Aluminum Tube	
	HEADACHE RACK LIGHTING	Clear LED Oval	Clear LED Oval	Ę
	DECK	1/8" Treadplate	Extruded Aluminum Floor	É
	FRAME RAILS	4" Structural Channel Steel	4" Structural Channel Steel	Ž
	CROSSMEMBERS	3"x 3/16" Channel Crossmembers	3"x 3/16" Channel Crossmembers	C
	REAR SKIRT	Solid One Piece with Tapered Corners	Solid One Piece with Tapered Corners	É
	GN HITCH	30K B&W Hitch with Welded Ball	30K B&W Hitch with Welded Ball	2
	BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	18,500 lb. B&W Hitch with Receiver Tube	12
	SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	3/8" x 2" Side Rails with Stake Pockets	3
	FUEL FILL	Angled	Angled (Cast Aluminum)	c
	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	
	REAR LIGHTING	Clear LED Oval	Clear LED Oval	
	LIGHT BOX (REAR SKIRT)	Steel	Aluminum	
	MARKER LIGHTING	Bullet DOT Approved LED	Bullet DOT Approved LED	
	TOOLBOX	Optional Underbody	Optional Underbody	

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K 8&W Hitch with Turnover Ball (required for 5th Wheel capability); Cargo Light; Drop-In or Fold-Down Side Rails; Gooseneck Trough; Rolling Tailboard; Wood, Rumber or Blackwood Flooring; Underbody Toolbox; Aluminum Underbody Toolboxes (AL RD model)

Rhino Pro

STEEL AND ALUMINUM TRUCK BEDS

BUILT TO WORK. BUILT TO LAST. / 3





STEEL ALUMINUM 84", 8'6", 9'4", 11'4" LENGTHS 84", 8'6", 9'4", 11'4" HEADACHE RACK Steel Tube Aluminum Tube HEADACHE RACK LIGHTING Clear LED Oval Clear LED Oval DECK 1/8" Treadplate Extruded Aluminum Floor 4" Structural Channel Steel FRAME RAILS 4" Structural Channel Steel CROSSMEMBERS 3"x 3/16" Channel Crossmembers 3"x 3/16" Channel Crossmembers REAR SKIRT Solid One Piece with Rear Step Solid One Piece with Rear Step GN HITCH 30K B&W Hitch with Welded Ball 30K B&W Hitch with Welded Ball 18.500 lb. B&W Hitch with Receiver Tube 18.500 lb. B&W Hitch with Receiver Tube SIDE RAILS 3/8" x 2" Side Rails with Stake Pockets 3/8" x 2" Side Rails with Stake Pockets FUEL FILL Angled (Cast Aluminum) Round 7 Pin in GN Box, Round 7 Pin in GN Box, 12V TRAILER PLUG Round 7 Pin/4 Way Flat on Rear Round 7 Pin/4 Way Flat on Rear REAR LIGHTING Clear LED Oval Clear LED Oval LIGHT BOX (REAR SKIRT) Aluminum MARKER LIGHTING Bullet DOT Approved LED Bullet DOT Approved LED TOOLBOX (4) Standard Integrated (4) Standard Integrated TOOLBOX HANDLE T Handle Compression Black T Handle Compression FENDERS Steel Radius Aluminum Radius Aluminum Steps In Front of and Behind Fender SIDESTEPS In Front of and Behind Fender

STEEL ALUMINUM LENGTHS 84", 8'6", 9'4", 11'4" 84", 8'6", 9'4", 11'4" HEADACHE RACK Steel Tube One-Piece Aluminum Square Tube HEADACHE RACK LIGHTING Clear LED Oval w/Chrome Housing Clear LED Oval w/Chrome Housing DECK 1/8" Treadplate 1/8" Aluminum Treadplate 4" Structural Channel Steel FRAME RAILS 4" Structural Channel Steel CROSSMEMBERS 3"x 3/16" Channel Crossmembers 3"x 3/16" Channel Crossmembers REAR SKIRT Solid One Piece with Rear Step Solid One Piece with Rear Step 30K B&W Hitch with Welded Ball in Trough 30K B&W Hitch in Trough 18.500 lb. B&W Hitch with Receiver Tube 18.500 lb. B&W Hitch with Receiver Tube Raised Side Rail with Aluminum Cap Raised Side Rail with Aluminum Cap Angled (Cast Aluminum) FUEL FILL Angled (Cast Aluminum) Round 7 Pin in GN Box, Round 7 Pin in GN Box, 12V TRAILER PLUG Round 7 Pin/4 Way Flat on Rear Round 7 Pin/4 Way Flat on Rear REAR LIGHTING Clear LED Oval with Chrome Housing Clear LED Oval with Chrome Housing LIGHT BOX (REAR SKIRT) Cast Aluminum Cast Aluminum MARKER LIGHTING Bullet DOT Approved LED Bullet DOT Approved LED (4) Standard Integrated Optional Underbody TOOLBOX HANDLE Chrome T Handle Compression Black T Handle Compression Chrome Radius Chrome Radius In Front of and Behind Fender Aluminum Steps In Front of and Behind Fender (4) 18" Airline Track Tiedowns (4) Attachment Rings (4) 18" Airline Track Tiedowns

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Color Primer Only (SK model); Dovetail Deck; Drop-In or Fold-Down Side Rails; Gooseneck Trough; Rear Rubrail; Stainless Fenders (SK model); Wood, Rumber or Blackwood Flooring







		PL	PLS
	LENGTHS	12'-18'= Standard Duty   20'-24'= Heavy Duty	12'-18'
	HEADACHE RACK	Formed Bulkhead with Punched Grill	Bolt-On Headache Rack and Ship-Through Corn
OPTIONS	DECK	12'-18' = 1/8" Treadplate 20'-24" = 3/16" Treadplate	1/8" Treadplate
	FRAME RAILS	12'-18' = 4" Structural Channel Steel 20'-24' = 8" Channel Steel	4" Structural Channel Steel
AND	CROSSMEMBERS	12'-18' = 3" Roll Formed Channel Steel 20'-24' = 4" Channel Steel	3" Roll formed 3/16" Channel Steel
S	BP HITCH	ICC Optional	ICC Optional
出	SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	Smooth Sides w/ Internal Stake Pockets
2	MARKER LIGHTING	Bullet DOT Approved LED	Bullet DOT Approved LED
<b>FEATURES</b>	TOOLBOX	Optional Underbody	Optional Underbody

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Bale Spikes, Cargo Light; Color Primer Only; Front Underbody Toolbox; Stake Sides; Wood, Rumber or Blackwood Flooring

LENGTHS	12'-18'= Standard Duty
HEADACHE RACK	Aluminum Tube
DECK	Extruded Aluminum Floor
FRAME RAILS	4" Aluminum Channel
CROSSMEMBERS	3" Aluminum Channel Crossmembers

D ()

000

REAR SKIRT	One Piece Aluminum	哥
BP HITCH	ICC Optional	EATL
SIDE RAILS	3/8" x 2" Side Rails with Stake Pockets	듄
MARKER LIGHTING	Bullet DOT Approved LED	S
TOOLBOX	Optional Underbody	A

Take uncertainty out of the equation with CM's AL PL model: Strong and durable yet lightweight and efficient, this aluminum platform body is reliable through-and-through.

NOTABLE OPTIONS INCLUDE: Aluminum Underbody Toolboxes; Wood, Rumber or Blackwood Flooring



BUILT TO WORK. BUILT TO LAST. / 7



S	LENGTHS	84", 8'6", 9'4", 11'4"
	HEADACHE RACK	Steel Tube
OPTIONS	HEADACHE RACK LIGHTING	Clear LED Oval
	DECK	1/8" Treadplate
FEATURES AND	FRAME RAILS	4" Structural Channel Steel
S	CROSSMEMBERS	3"x 3/16" Channel Crossmembers
뿚	REAR SKIRT	Solid One Piece with Rear Step
	GN HITCH	30K B&W Hitch with Welded Ball
ΕŽ	BP HITCH	18,500 lb. B&W Hitch with Receiver Tube
_	SIDE RAILS	N/A

FUEL FILL	Angled
12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
REAR LIGHTING	Clear LED Oval
LIGHT BOX (REAR SKIRT)	Steel
MARKER LIGHTING	Bullet DOT Approved LED
TOOLBOX	Utility Box in Front, Top-Open 3/4 Length Shovel Box; Low-Profile Chain Bx in Rear
TOOLBOX HANDLE	Chrome T Handle Compression
FENDERS	Steel Welded-In
SIDESTEPS	Steel Welded-In
TIE DOWNS	18" Airline Track Tiedowns, (4) Attachment Rings

NOTABLE TM OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability);
Bale Spikes; Color Primer Only; Stainless Fenders; Work Lights (pictured)



TMX

N/A

Angled

Clear LED Oval

Steel Radius

Bullet DOT Approved LED

Chrome T Handle Compression

In front of and behind fender

Steel Tube

Clear LED Oval

1/8" Treadplate
4" Structural Channel Steel

3"x 3/16" Channel Crossmembers

Solid One Piece with Rear Step

30K B&W Hitch with Welded Ball

18.500 lb. B&W Hitch with Receiver Tube

Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear

Utility Box in front; Top-Open ¾ Length Shovel Box; Low-Profile Chain Box in Rear

18" Airline Track Tiedowns, (4) Attachment Rings

84", 8'6", 9'4", 11'4"

TM DELUXE

LENGTHS 84", 8'6", 9'4", 11'4"

DECK 1/8" Treadplate

FRAME RAILS 4" Structural Channel Steel

CROSSMEMBERS 3"x 3/16" Channel Crossmembers

REAR SKIRT Solid One Piece with Rear Step

GN HITCH 30K B&W Hitch with Welded Ball

BP HITCH 18.500 lb. B&W Hitch with Receiver Tube

12V TRAILER PLUG Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear

Utility Box in front; Top-Open ½ Length Shovel Box; Tall Chain Box in rear; Opossum Belly

HEADACHE RACK Steel Tube

SIDE RAILS N/A

LIGHT BOX (REAR SKIRT)

FUEL FILL Angled

REAR LIGHTING Clear LED Oval

MARKER LIGHTING Bullet DOT Approved LED

FENDERS Steel Radius

TOOLBOX HANDLE Chrome T Handle Compression

SIDESTEPS In front of and behind fender

TIE DOWNS 18" Airline Track Tiedowns, (4) Attachment Rings

HEADACHE RACK LIGHTING Clear LED Oval



BUILT TO WORK. BUILT TO LAST. / 9



The TM Deluxe is designed to haul trailers from bumper or gooseneck positions and features an

for single-wheel chassis.

opossum belly, work lights and a tall rear toolbox. And with its 48"-wide deck, the TMX is the best solution



HEADACHE RACK LIGHTING
HEADACHE RACK LIGHTING
DECK
FRAME RAILS
CROSSMEMBERS
REAR SKIRT

LENGTHS 84", 8'6", 9'4"

ADACHE RACK Aluminum Tube

RACK LIGHTING Clear LED Oval

DECK Extruded Aluminum Floor

FRAME RAILS 4" Aluminum Channel

DSSMEMBERS 3" Extruded Aluminum Crossmembers

REAR SKIRT 14" Solid One Piece Square Back

SIDE RAILS FUEL FILL REAR LIGHTING LIGHT BOX (REAR SKIRT) MARKER LIGHTING

TOOLBOX

3/8 x 2" Aluminum Extrusion with Aluminum Stake Pockets
Angled (Cast Aluminum)
Clear LED Oval
Aluminum
Bullet DOT Approved LED
Optional Underbody

NOTABLE OPTIONS INCLUDE: Cargo Light; Underbody Toolbox; Wood, Rumber or Blackwood Flooring

LENGTHS 84", 8'6", 9'4", 11'4" HEADACHE RACK HEADACHE RACK LIGHTING None 1/8" Smooth Steel FRAME RAILS 4" Structural Channel Steel CROSSMEMBERS 3"x 3/16" Channel Crossmembers REAR SKIRT Solid One Piece with Tapered Corners GN HITCH Optional BP HITCH 18,500 lb. B&W Hitch with Receiver Tube SIDE RAILS N/A

FUEL FILL Angled
12V TRAILER PLUG Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
REAR LIGHTING Clear LED Oval
LIGHT BOX (REAR SKIRT) Steel
MARKER LIGHTING Bullet DOT Approved LED
TOOLBOX (4) Standard Integrated
TOOLBOX HANDLE Chrome T Handle Compression
FENDERS Steel Radius
SIDESTEPS In front of and behind fender

**FEATURES** 

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; Color Primer Only; Deck on Front

EM | MRhinoPro

STEEL AND ALUMINUM TRUCK BEDS

BUILT TO WORK. BUILT TO LAST. / 11



HEADACHE RACK HEADACHE RACK LIGHTING FRAME RAILS

9', 11', 14', 16', 20' Formed Steel with Cab Protector Clear LED Oval 10-Gauge 6" Channel Steel CROSSMEMBERS 3" Structural Crossmembers

Chassis OEM 12V TRAILER PLUG Completed at Upfit Chassis OEM REAR LIGHTING MARKER LIGHTING TIE DOWNS (4) Welded with D-Rings

NOTABLE OPTIONS INCLUDE: Fold Down Sides, Tarp, 4' Tall sides

8'6", 9'4", 11'4" Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear HEADACHE RACK Steel Pipe 12V TRAILER PLUG Clear LED Oval HEADACHE RACK LIGHTING REAR LIGHTING 3/16" Treadplate LIGHT BOX (REAR SKIRT) FRAME RAILS 6" Structural Channel Steel MARKER LIGHTING Bullet DOT Approved LED 3" Roll-Formed 3/16" Channel Crossmembers CROSSMEMBERS TOOLBOX Two in Front Solid One Piece Square Tailboard with Rolling Section & 5" Rolling Tailboard REAR SKIRT TOOLBOX HANDLE T Handle Compression FENDERS 30K B&W Hitch with Welded Ball 18,500 lb. B&W Hitch with Receiver Tube Premium Polyurethane PAINT FINISH Integrated Side Rails with Internal Stake Pockets Schedule 80 Gin Poles with Frame and Pipe Holders

NOTABLE OPTIONS INCLUDE: Junk Basket; Water Cooler Rack; Winch Package (12K or 15K)



BUILT TO WORK. BUILT TO LAST. / 13 STEEL AND ALUMINUM TRUCK BEDS



OPTIONS	LENGTHS	8'6", 9'4", 11'4"	FUEL FILL	Angled
	HEADACHE RACK	Steel Tube	12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
	HEADACHE RACK LIGHTING	Clear LED Oval	REAR LIGHTING	Clear LED Oval
	DECK	1/8" Treadplate	LIGHT BOX (REAR SKIRT)	Steel
FEATURES AND	FRAME RAILS	4" Structural Channel Steel	MARKER LIGHTING	Bullet DOT Approved LED
	CROSSMEMBERS	3"x 3/16" Channel Crossmembers	TOOLBOX	Two Standard Toolboxes
	REAR SKIRT	Solid One Piece with Rear Step	TOOLBOX HANDLE	Chrome T Handle Compression
	GN HITCH	30K B&W Hitch with Welded Ball	FENDERS	N/A
	BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	SIDESTEPS	N/A
	SIDE RAILS	Tube	TIE DOWNS	(4) 18" Airline Track Tiedowns, (4) Attachment Rings

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Cargo Light

8'6", 9'4", 11'4" HEADACHE RACK Steel Tube 12V TRAILER PLUG Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear Clear LED Oval HEADACHE RACK LIGHTING REAR LIGHTING Clear LED Oval 1/8" Treadplate LIGHT BOX (REAR SKIRT) FRAME RAILS 4" Structural Channel Steel MARKER LIGHTING Bullet DOT Approved LED One Standard in Front on R/S CROSSMEMBERS 3"x 3/16" Channel Crossmembers TOOLBOX REAR SKIRT Solid One Piece with Rear Step TOOLBOX HANDLE Chrome T Handle Compression GN HITCH 30K B&W Hitch with Welded Ball FENDERS Steel Radius 18,500 lb. B&W Hitch with Receiver Tube SIDESTEPS N/A SIDE RAILS (4) 18" Airline Track Tiedowns, (4) Attachment Rings

NOTABLE OPTIONS INCLUDE: 3/16" Heavy-Duty Deck; 30K B&W Hitch with Turnover Ball (required for 5th Wheel capability); Cargo Light; Drop-In Side Rails



STEEL AND ALUMINUM TRUCK BEDS

BUILT TO WORK. BUILT TO LAST. / 15



TRUCK BEDS							3 <u></u>		
Rhino Pro									
MODEL	22	RD	SK	ER	TM	TM DELUXE	TMX	PL	PLS
LENGTHS	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	12'-18'= Standard Duty, 20'-24'= Heavy Duty	12'-18'
HEADACHE RACK	Steel Tube	Steel Tube	Steel Tube	Formed Bulkhead with Punched Grill	Bolt-On Headache Rack and Ship-Through Corners				
HEADACHE RACK LIGHTING	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval w/ chrome housing	Clear LED Oval	Clear LED Oval	Clear LED Oval	N/A	N/A
DECK	1/8" Treadplate	1/8" Treadplate	1/8" Treadplate	12'-18' = 1/8" Treadplate, 20'-24' = 3/16" Treadplate	1/8" Treadplate				
FRAME RAILS	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	12'-18' = 4" Structural Channel Steel, 20'-24' = 8" Channel	4" Structural Channel Steel				
CROSSMEMBERS	3"x 3/16" Channel Crossmembers	3"x 3/16" Channel Crossmembers	3"x 3/16" Channel Crossmembers	3"x 3/16" Channel Crossmembers	3"x 3/16" Channel Crossmembers	3"x 3/16" Channel Crossmembers	3"x 3/16" Channel Crossmembers	12'-18'=3" Roll Formed Channel Steel, 20'-24' = 4" Channel	3" Roll Formed 3/16" Channel Steel
REAR SKIRT	Solid One Piece with Tapered Corners	Solid One Piece with Tapered Corners	Solid One Piece with Tapered Corners and Rear Step	Solid One Piece with Tapered Corners and Rear Step	Solid One Piece with Tapered Corners and Rear Step	Solid One Piece with Tapered Corners and Rear Step	Solid One Piece with Tapered Corners and Rear Step	N/A	N/A
GN HITCH	30K B&W Hitch w/ Welded Ball in Recessed Box	30K B&W Hitch w/ Welded Ball in Recessed Box	30K B&W Hitch w/ Welded Ball in Recessed Box	30K B&W Hitch with Welded Ball in Trough	30K B&W Hitch w/ Welded Ball in Recessed Box	30K B&W Hitch w/ Welded Ball in Recessed Box	30K B&W Hitch w/ Welded Ball in Recessed Box	N/A	N/A
BP HITCH	18,500 lb. B&W Hitch with Receiver Tube	18,500 lb. B&W Hitch with Receiver Tube	18,500 lb. B&W Hitch with Receiver Tube	ICC optional	ICC Optional				
SIDE RAILS	Integrated Side Rails with Internal Stake Pockets	3/8" x 2" Side Rails with Stake Pockets	3/8" x 2" Side Rails with Stake Pockets	Raised Side Rail with Aluminum Cap	N/A	N/A	N/A	3/8" x 2" Side Rails with Stake Pockets	Smooth Side Rails with Internal Stake Pockets
FUEL FILL	Angled	Angled	Angled	Angled (Cast Aluminum)	Angled	Angled	Angled	N/A	N/A
12V TRAILER PLUG	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	Round 7 Pin GN Box, Round 7 Pin/4 Way Flat on Rear	N/A	N/A
REAR LIGHTING	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval w/chrome housing	Clear LED Oval	Clear LED Oval	Clear LED Oval	N/A	N/A
LIGHT BOX (REAR SKIRT)	Steel	Steel	Steel	Cast Aluminum	Steel	Steel	Steel	N/A	N/A
MARKER LIGHTING	Bullet DOT Approved Clear LED	Bullet DOT Approved Clear LED	Bullet DOT Approved Clear LED	Bullet DOT Approved Clear LED	Bullet DOT Approved Clear LED				
TOOLBOX	Optional Underbody	Optional Underbody	(4) Standard Integrated	(4) Standard Integrated	Utility Box in Front, Top-Open 3/4 Length Shovel Box; Low-Profile Chain Box in rear	Utility Box in front; Top-Open 1/2 Length Shovel Box; Tall Chain Box in rear; Opossum Belly	Utility Box in front; Top-Open ¾ Length Shovel Box; Low-Profile Chain Box in rear	Optional Underbody	Optional Underbody
TOOLBOX HANDLE	N/A	N/A	Chrome T Handle Compression	Chrome T Handle Compression	Chrome T Handle Compression	Chrome T Handle Compression	Chrome T Handle Compression	N/A	N/A
FENDERS	N/A	N/A	Steel Radius	Chrome Radius	Steel Radius	Steel Radius	Steel Radius	N/A	N/A
SIDE STEPS	N/A	N/A	Integrated Front to Rear	Integrated Front to Rear	Integrated Front to Rear	Integrated Front to Rear	Integrated Front to Rear	N/A	N/A
TIE DOWNS	N/A	N/A	N/A	(4) 18" Airline Track Tiedowns (4) Attachment Rings	(4) 18" Airline Track Tiedowns (4) Attachment Rings	(4) 24" Airline Track Tiedowns (4) Attachment Rings	(4) 24" Airline Track Tiedowns, (4) Attachment Rings	N/A	N/A
ADDITIONAL FEATURES	Drop-in Side Rails Optional	Drop-in Side Rails Optional	Drop-in Side Rails Optional	Trough in Center for Convenient Hookup	Rear Tailgate with Paddle Latch	Rear Tailgate with Paddle Latch	Rear Tailgate with Paddle Latch	Optional HD Package Optional ICC Bumper	Optional ICC Bumper

WD		DB	GP	SZ	BL	AL ER	AL PL ALL ALUMINUM	AL RD	AL RS ALL ALUMINUM	AL SK
84", 8'6", 9'4"	", 11'4"	9', 11', 14', 16', 20'	84", 8'6", 9'4", 11'4"	8'6", 9'4", 11'4"	8'6", 9'4", 11'4"	84", 8'6", 9'4", 11'4"	12'-24'= Standard Duty	84", 8'6", 9'4", 11'4"	84", 8'6", 9'4"	84", 8'6", 9'4", 11'4"
Optional	al	Formed Steel	Steel Pipe	Steel Tube	Steel Tube	Aluminum Tube	Aluminum Tube	Aluminum Tube	Aluminum Tube	Aluminum Tube
None		Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval w/ Chrome Housing	N/A	Clear LED Oval	Clear LED Oval	Clear LED Oval
1/8" Smooth	ı Steel	10-Gauge	3/16" Treadplate	1/8" Treadplate	1/8" Treadplate	1/8" Aluminum Treadplate	Extruded Aluminum Floor	Extruded Aluminum Floor	Extruded Aluminum Floor	Extruded Aluminum Floor
4" Structural Cha	annel Steel 6"	' Structural Channel Steel	6" Structural Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Structural Channel Steel	4" Aluminum Channel	4" Structural Channel Steel	4" Aluminum Channel	4" Structural Channel Steel
3"x 3/16" Channel Co	Crossmembers	6" Structural Channel	3"x 3/16" Channel Crossmembers	3"x 3/16" Channel Crossmembers	3"x 3/16" Channel Crossmembers	3"x 3/16" Channel Crossmembers	3" Aluminum Channel Crossmembers	3"x 3/16" Channel Crossmembers	3" Extruded Aluminum Crossmembers	3"x 3/16" Channel Crossmembers
Solid One Piec Tapered Cor		N/A	Solid One Piece with Straight Corners at Rear & 5" Rolling Tailboard	Solid One Piece with Rear Step	Solid One Piece with Rear Step	Solid One Piece with Rear Step	One Piece Aluminum	Solid One Piece with Tapered Corners	14"Solid One Piece Square Back	Solid One Piece with Rear Step
Optional	al	N/A	25K in Recessed Box	30K B&W Hitch with Welded Ball	30K B&W Hitch with Welded Ball	30K B&W Hitch in Trough	N/A	30K B&W Hitch with Welded Ball in Recessed Box	N/A	30K B&W Hitch with Welded Ball in Recessed Box
18,500 lb. B&V with Receiver		N/A	18,500 lb. Hitch with Receiver Tube	18,500 lb. B&W Hitch with Receiver Tube	18,500 lb. B&W Hitch with Receiver Tube	18,500 Lb. B&W Hitch with Receiver Tube	ICC Optional	18,500 Lb. B&W Hitch with Receiver Tube	N/A	18,500 Lb. B&W Hitch with Receiver Tube
N/A		N/A	N/A	Tube	Tube	Raised Side Rail with Aluminum Cap	3/8" X 2" Side Rails with Stake Pockets	3/8" X 2" Side Rails with Stake Pockets	3/8" X 2" Side Rails with Stake Pockets	3/8" X 2" Side Rails with Stake Pockets
Angled	ı	Chassis OEM	N/A	Angled	Angled	Angled (Cast Aluminum)	N/A	Angled (Cast Aluminum)	Angled (Cast Aluminum)	Angled (Cast Aluminum)
Round 7 Pin in Round 7 Pin/4 Way		Completed at Upfit	Round 7 Pin in GN Box, Round 7 Pin	Round 7 Pin GN Box, Round 7 Pin/4 way flat on rear	Round 7 Pin GN Box, Round 7 Pin/4 way flat on rear	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	N/A	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear	N/A	Round 7 Pin in GN Box, Round 7 Pin/4 Way Flat on Rear
Clear LED C	Oval	Chassis OEM	LED Oval	Clear LED Oval	Clear LED Oval	Clear LED Oval w/Chrome Housing	N/A	Clear LED Oval	Clear LED Oval	Clear LED Oval
Steel		N/A	Steel	Steel	Steel	Cast Aluminum	N/A	Aluminum	Aluminum	Aluminum
Bullet DOT Approve	ed Clear LED	2" Red	Bullet DOT Approved LED	Bullet DOT Approved Clear LED	Bullet DOT Approved Clear LED	Bullet DOT Approved Clear LED	Bullet DOT Approved Clear LED	Bullet DOT Approved Clear LED	Bullet DOT Approved Clear LED	Bullet DOT Approved Clear LED
(4) Standard Int	tegrated	N/A	(2) Standard in Front of Fenders	(2) Standard	(1) Standard in Front on R/S	(4) Standard Integrated	Optional Underbody	Optional Underbody	Optional Underbody	(4) Standard Integrated
Black T Handle Co	ompression	N/A	N/A	Black T Handle Compression	Black T Handle Compression	Black T Handle Compression	N/A	N/A	N/A	Black T Handle Compression
Steel Radi	lius	N/A	N/A	N/A	Steel Radius	Chrome Radius	N/A	N/A	N/A	Aluminum Radius
1.66" Pipe Perimeter	Bottom Steps	N/A	N/A	N/A	N/A	Aluminum Steps in Front of and Behind Fender	N/A	N/A	N/A	Aluminum Steps in Front of and Behind Fender
N/A		(4) Welded in D-Rings	N/A	4) 18" Airline Track Tiedowns, (4) Attachment Rings	(4) 18" Airline Track Tiedowns, (4) Attachment Rings	(4) 18" Airline Track Tiedowns (4) Attachment Rings	N/A	N/A	N/A	N/A
Rear Angle V Groove 3" Drop Deck o		on Hoist Subframe and Install t Rigid or Fold-Down Sides	(2) Schedule 80 Gin Poles with Troughs on Both Sides, Optional Rolling Tailboard on Rear			Trough In Center For Convenient Hookup	Optional ICC Bumper, Aluminum Stake Sides	Drop-In Aluminum Side Rails (Optional)	Drop-In Aluminum Side Rails (Optional)	Drop-In Aluminum Side Rails (Optional)

# VERSATILITY FOR EVERY BODY

CM TRUCK BEDS SERVICE BODIES ARE THE MOST VERSATILE ON THE MARKET TODAY. WHATEVER THE APPLICATION. CM HAS THE RIGHT SERVICE BODY AVAILABLE AND READY TO BE DELIVERED FASTER THAN ANY BODY. COMPONENT-STYLE CONFIGURATIONS ALLOW FOR EASY CUSTOMIZATION, AND THE BEST WARRANTY IN THE INDUSTRY ENSURES YEARS OF RELIABLE USE.

#### COMPONENT-STYLE CONFIGURATION

Go ahead, put our products through the wringer: Unlike many in the industry, our component bodies are bolted together, which makes repair and maintenance far easier. Need a different configuration? Customization is as simple as unbolting the part you want to change



# DURABLE POWDERCOAT FINISH

While other companies stick to paint, CM Truck Beds coats every Service Body we make with powder. Using the highest quality powdercoat finish, we go under every edge and cover every crevice to ensure your service body is protected. This superior finish also adds a shine that will last for many years.

#### GAS CYLINDER DOOR SHOCKS

We don't use simple springs, we use the finest gas shocks on the market today. Even when your hands are full, our gas shocks allow you to easily open and close our doors



#### HEAVY-DUTY REAR TAILGATES

All Service Bodies from CM Truck Beds feature tailgates that are tough enough to keep materials inside the deck where they belong. Need to step to get in a bed? No problem: These tailgates are rated at over 400 pounds, supporting even the largest operators to gain access.



Our best-in-class steel decks provide a solid foundation for ensuring our bodies will live up to the rigorous expectations of our customers. We not only start with a strong deck, but also coat it with our super-durable Black Lava deck coating, which enhances the overall performance of our Service Bodies.





#### **AUTOMOTIVE STAINLESS-STEEL ROTARY LATCHES & D-BULB WEATHER-STRIPPING**

Toolboxes carry a worker's best friend: his tools. To protect them, our toolbox doors feature heavy-duty rotary latches, and are sealed with D-bulb weather-stripping to ensure that no moisture gains entry. So your tools are not only safe, but also safely out of the elements.

#### LED REAR LIGHTING WITH WIRING HARNESS

When safety counts, count on CM Truck Beds to take care of you. We utilize the safest, easiest-to-maintain lights available. LED lights are brighter, light up instantaneously, and make for easier maintenance.

# 48.000-MILE WARRANTY

Some companies say they stand behind their products; we put it in writing. While the industry standard is to only warranty a body for a period of 36 months, we're happy to go above and beyond and offer a 48-month warranty. We recognize what an investment a Service Body can be and we want you to know that we're with you for the long haul.

Rhino Pro SERVICE BODIES

BUILT TO WORK. BUILT TO LAST. / 19









#### NOTABLE FEATURES INCLUDE:

Bolt-on, drop-in flip-top compartments close securely with automotive stainless steel rotary latches; rear LED lights provide bright, instantaneous light and easy maintenance; toolbox interiors are powdercoated to prevent rust and corrosion

#### STANDARD FEATURES

11-Gauge Galvaneal Deck

16-Gauge Galvaneal Body (A60)

Removable Fender Panel

Stainless Steel Rod & Socket Door Hinges

Gas Cylinder Style Door Holders

LED Rear Lighting with Wiring Harness

Recessed Rear Bumper

1/8" Treadbrite Aluminum Compartment Tops

Automotive Stainless Steel Rotary Latches

Vise Socket in Bumper

Conduit in Understructure

Bolted Body for Secure Attachment

Automotive D-Bulb Weather Stripping

Multi-Panel Doors with Internal Reinforcements

Toolbox Interior Powdercoated

Heavy-Duty Rear Tailgate

Two Shelves in the Front, One Shelf in the Rear



- 100% primer & topcoat
- Super durable powdercoat provides coating for years of protection
- Zinc rich primer is used on all surfaces for unsurpassed corrosion protection
- Individually coated components for maximum coverage
- Black Lava non slip coating on deck, bumper and undercarriage for maximized protection and reduced slip hazard







#### STANDARD FEATURES

.090 Aluminum Body .125 Smooth Aluminum Deck Removable Fender Panel Stainless Steel Rod & Socket Door Hinges Gas Cylinder Style Door Holders

LED Rear Lighting with Wiring Harness

Recessed Rear Bumper

1/8" Treadbrite Aluminum Compartment Tops

Automotive Stainless Steel Rotary Latches

Vise Socket in Bumper

Conduit in Understructure

Bolted Body for Secure Attachment

Automotive D-Bulb Weather Stripping

Multi-Panel Doors with Internal Reinforcements

Toolbox Interior Powdercoated

Heavy-Duty Rear Tailgate

Two Shelves in the Front, One Shelf in the Rear

#### NOTABLE FEATURES INCLUDE:


(From top) Durable, 125 smooth aluminum deck; available rear bumper vise mount for added versatility; toolboxes with powdercoated interiors; secure, stainless-steel rotary latches to protect valuable tools; bright, safe and hassle-free LED lighting

# SERVICE BODY CONFIGURATIONS

DON'T ADJUST TO YOUR BODY.

MAKE YOUR BODY ADJUST TO YOU.

With an array of sizes and configurations to choose from, there's a CM Truck Beds Service Body designed to meet the specific needs of your industry and your fleet.



Chassis Style	C.A.	А	В	С
98SW	56"	78"	49"	14 1/2"
98DW	56"	94"	49"	22 ½"
110SW	60"	78"	49"	14 1/2"
110DW	60"	94"	49"	22 ½"
132DW	84"	94"	49"	22 ½"


SW - Single Wheel | DW - Dual Wheel

Cargo area wheel well boxes may be necessary to accommodate some chassis.

#### **BODIES AVAILABLE IN ANY SIDEPACK COMBINATION**


- "W" Streetside & Curbside : "V" configuration
- "HH" Streetside & Curbside : "H" configuration
- "VH" Streetside: "V" configuration; Curbside: "H" configuration
- "HV" Streetside: "H" configuration; Curbside: "V" configuration

OPTIONAL FLIP TOPS ARE AVAILABLE ON EITHER OR BOTH SIDES.




## V CONFIGURATION (V98 & V110)

- 1st Vertical: Two adjustable shelves with two adjustable dividers per shelf
- Horizontal: Open with "Pass-Through" to rear vertical
- Rear Vertical: One adjustable shelf with two adjustable dividers




### H CONFIGURATION (H98 & H110)

- 1st Vertical: Two adjustable shelves with two adjustable dividers per shelf
- Horizontal: One removable shelf with four adjustable dividers
- Rear Vertical: Open



### V CONFIGURATION (V133)

- 1st Vertical: Two adjustable shelves with two adjustable dividers per shelf
- 2nd Vertical: Two adjustable shelves with two adjustable dividers per shelf
- Horizontal: Open with "Pass-Through" to rear vertical
- Rear Vertical: One adjustable shelf with two adjustable dividers



### **H CONFIGURATION (H133)**

- 1st Vertical: Two adjustable shelves with two adjustable dividers per shelf
- 2nd Vertical: Two adjustable shelves with two adjustable dividers per shelf
- Horizontal: One removable shelf with four adjustable dividers
- Rear Vertical: Open







**BUILT FOR YOUR SUCCESS.** Since 1990, CM Truck Beds has offered a wide range of feature-rich, work-ready products built to withstand the test of time and deliver the ultimate in value. Headquartered in Kingston, Oklahoma, CM Truck Beds has over 150,000 square feet of manufacturing and employs more than 300 experienced laborers and sales associates. We're proud to be the leader in flat-bed truck bodies, and we're dedicated to providing the solutions you need to get the job done.

When searching for a dependable and good-looking truck body that will help on the job site, down the road, or on the ranch, look no further than CM Truck Beds. Our field-tested products fit not only the vehicles they connect with but also the customers who use them, day in and day out. We utilize category-leading hitches, toolbox latches, and headache racks in addition to offering the toughest steel and aluminum beds and service bodies on the market.

Additionally, our strong network includes more than 200 distributors across North America who specialize in aftermarket upfit and installation. Count on superior product quality, large on hand inventory, and attention to detail throughout the upfitting process. It's this dedication to providing real-world solutions that makes CM Truck Beds the go-to source for hardworking professionals.



www.rhinoprous.com